

BAMS - FILTER

STOCKIST FOR
WATER AND WASTEWATER TREATMENT
EQUIPMENTS & CHEMICALS



Sales Person :

Phone : (0857-1781-1729 / 0813-1118-5605 (hunting))

E-mail : ptbamsbeningtechnology@gmail.com


MODEL	PICTURES	DESCRIPTION
FRP FILTER TANKS (PENTAIR & AQUALINE)		
FRP TANK Ex. Import		Tersedia untuk tekanan maks. 100 psi dan 150 psi Ukuran T2.5" : 0844, 0948, 1054, 1252, 1354, 1465, 1665 Ukuran T4" : 1665 dan 1865 Ukuran TB4" : 1865, 2162, 2472, 3072, 3672 Ukuran TB6" (Flange) : 4272, 4872, 6386
SS FILTER TANKS		
SS TANK Ex. Import		Tersedia Material SS-304 & SS-316 : Ukuran T2.5" : 0844, 0948, 1054, 1252, 1354, 1465, 1665 Ukuran T4" : 1665 dan 1865 Ukuran TB4" : 1865, 2162, 2472, 3072, 3672
STRAINERS / NOZZLES		
STRAINER / NOZZLE Ex. Import		Tersedia : Top & Bottom Strainer untuk berbagai ukuran Filter, Softener, dan Deionizer Tank
MANUAL MULTIPORT VALVE FOR FILTER & SOFTENER		
MANUAL MULTIPORT VALVE		Tersedia 2 model : Top dan Side Mounted Top Mounted Filter : F-56A & F-56D Side Mounted Filter : F-56D1 Top Mounted Softener : F-64A & F-64D Side Mounted Softener : F-64D1
AUTOMATIC VALVE FOR FILTER & SOFTENER		
FLECK Ex. USA		Tersedia 2 model : Top dan Side Mounted Top Mounted : Fleck 5600, Fleck 5000, Fleck 2850, Fleck 3150, Fleck 3900 Side Mounted : Fleck 2850, Fleck 3150, Fleck 3900 Dan juga tersedia Twin Bed Softener Auto Valve : Fleck 9000
AQUALINE Ex. China		Tersedia untuk Filter & Softener Filter : F11 FT Softener : F11 ST

MODEL	PICTURES	DESCRIPTION
ACCESSORIES FOR FRP FILTER TANK		
ACCESSORIES FRP TANK Ex. Import		Accessories untuk Filter & Portable Mixed Bed : • Thread Closure : 4" & 6" • Thread Adaptor : 4-2.5", 6-4" & 6-4" Flange • Head Tank : 2.5" & 4"
CHEMICAL TANKS		
CHEMICAL TANK Ex. Import		Tersedia tangki tahan kimia (<i>chemical tank</i>) dengan berbagai ukuran : • 60 L • 100 L • 200 L • 300 L • 500 L
BRINE TANKS		
BRINE TANK Ex. Import		Tersedia 2 model tangki garam (<i>brine tank</i>) untuk Water Softener dengan ukuran sbb : Kotak : 60 L, 80 L, 100 L, 125 L, 130 L, 150 L Bulat : 100 L, 200 L
OTHER ACCESSORIES		
DIFFUSER Local		Tersedia : • Coarse Bubble (6") • Fine Bubble (10")
INJECTOR Ex. Import		Tersedia 2 merek Injector : • Injector Spears : 1/2", 3/4", 1", 1.5", 2", 2.5" (drat & polos) • Injector Mazzei : 3/4", 1"
• SOLENOID VALVE • SAFETY VALVE • PRESSURE GAUGE • VACUUM BREAKER		Tersedia : • Solenoid Valve : 1/2", 3/4", 1", 1 1/2", 2" • Safety Valve : 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" • Pressure Gauge : 0-6, 0-10, 0-25 & 0-40 Bar • Vacuum Breaker ; 1/2", 3/4", 1", 1 1/2"

MODEL	PICTURES	DESCRIPTION
FILTER MEDIAS		
ACTIVATED CARBON Ex. Import		Activated Carbon import dengan bahan dasar dari Batubara (Coal base) . • Calgon F100 Ex. USA • Jacobi Aquasorb : 1000, 2000 & 6100 Ex. Swedia • Borneo Plus Ex. India
ACTIVATED CARBON Local		Activated Carbon local dengan bahan dasar dari batok kelapa (Coconut base) . • Grade A (Borneo) • Grade B • Grade C
IRON & MANGANESE REMOVAL Ex. Import & Local		Tersedia : • Greensand Plus "Inversand" Ex. Brazil • Birm Ex. USA • Manganese Zeolite Aqualite • Ferrolite Greensand Aqualite
ANTHRACITE Local		Tersedia : • Anthracite : 8 x 30 mesh • Anthracite : 4 x 8 mesh
SILICA SAND & SILICA GRAVEL Local		Tersedia Silica Sand & Gravel dari Pulau Bangka dengan ukuran sbb : • Silica Sand : 8-16, 14-20, & 16-30 mesh, • Silica Gravel : 10-20, 5-7, 3-5 mm
ION EXCHANGE RESINS		
TULSION "THERMAX" Ex. India		Ion Exchange Resin untuk Water Softener, Deionizer, Mixed Bed Deionizer & Organic Polishing Resin. • Cation : T-42Na, T-42H • Anion : A-23, A-27MP • Mixbed : MBX-36 • Organic Polisher : A-72MP
AMBERLITE "DUPONT" Ex. USA		Tersedia : • Cation : HPR-1100Na, IRC-120Na • Anion : HPR-4800Cl, IRA-402Cl
PUROLITE Ex. USA		Tersedia : • Cation : C-100 & C-100E • Anion : A-400

MODEL	PICTURES	DESCRIPTION
BAG FILTER HOUSINGS & BAG FILTERS		
BAG FILTER & SS BAG FILTER HOUSING		Tersedia 2 ukuran Bag Filter Housing dengan material SS-304. Bag Housing : • OBFH 1-T (7" x 17") • OBFH 2-TS2 (7" x 32") Bag Filter : 7" x 17" & 7" x 32" mulai dari 5 micron – 100 micron
CARTRIDGE FILTER HOUSINGS		
MULTI CARTRIDGE FILTER HOUSING Ex. Import		Tersedia Ukuran : 20" (SS304) : 3 Element, 5 Element, 7 Element 30" (SS304) : 3 Element, 5 Element, 7 Element 40" (SS304) : 3 Element, 5 Element, 7 Element, 10 Element, 15 Element, 20 Element, 25 Element 40" (SS316) : 7 Element
SINGLE CARTRIDGE FILTER HOUSING		Tersedia model Standard (Slim) & Big Blue : Model standard (slim) : • 10" (In/Out : 1/2" & 3/4") Clear & Blue • 20" (In/Out : 3/4" & 1") Clear & Blue Model Big Blue : 10" & 20"
CARTRIDGE FILTERS		
CARTRIDGE FILTER		Tersedia : PP Melt Blown, Mini Groove & Deep Groove, Standard Pleated, String Wound & Big Blue, CTO, GAC, Micro Pleated (0,22 & 0,45 Micron). Ukuran : 10" s.d. 40"
UF MEMBRANES		
UF MEMBRANE Ex. Import		Tersedia : • AI – UF – 4040 (4" – Refill) • AI – UF – 90 (4" include Housing PVC/PVDF) • AI – UF – 200 (8" include Housing PVC/PVDF)
R/O MEMBRANES		
R/O MEMBRANE Ex. Import		Filmtec Ex. USA : • BW30 – 4040 (4"), BW30 – 400 (8"), • SW30 – 4040 (4"), SW30 HRLE 400 (8") LG Chem Ex. Korea : • BW4040 ES (4"), BW400R (8") Aqualine Ex. China : • BW4040LP (4"), TW4040ULP (4")

MODEL	PICTURES	DESCRIPTION
FLOWMETERS		
PANEL FLOWMETER		Tersedia : Model panel with regulator : - Flowrate : 0,2 – 2 GPM s.d. 5-45 GPM Model panel w/o Regulator : - Flowrate : 0,5 – 5 GPM s.d. 15 –45 GPM
TUBE FLOWMETER		Tersedia : Flowrate : 0,5 – 5 GPM s.d. 2 – 20 GPM
PIPING FLOWMETER		Tersedia : Flowrate : 16 – 160 LPH s.d. 16 – 120 M3/Jam
CONDUCTIVITY, RESISTIVITY & Ph METER & CONTROLLER		
CONDUCTIVITY, RESISTIVITY & Ph Ex. China		Conductivity : - Monitor : CM-230, Monitor Control : CM-230K Resistivity : - Monitor : DZG-303, Monitor Control : DZG-303A pH : - Monitor Control : 3500
CONDUCTIVITY, RESISTIVITY & pH “MYRON L” Ex. USA		Tersedia type Inline & Portable : Inline : – Conductivity / TDS – Resistivity Portable : – DS Conductivity / TDS Meter, – PDS pH / Conductivity / TDS Meter – Ultrameter – Techpro
UV STERILIZERS		
UV STERILIZER Ex. Import		Tersedia : Brand : Aqualine Material : SS-304 Tekanan Operasi : 1 – 4 Bar Daya Tahan Lampu : 9000 Jam Kapasitas : mulai dari 1.0 GPM s.d. 200 GPM / unit

MODEL	PICTURES	DESCRIPTION
DOSING PUMPS		
AILIPU "JM Series" Ex. China		JM Series merupakan Mechanical Diaphragm Dosing Pump standard dengan model sbb : JM – 1.10/7, JM – 2.36/7, JM – 3.78/7, JM – 4.72/7 JM – 10.72/4.2, JM – 15.77/4.2
AILIPU "JCMA Series" Ex. China		JCMA Series merupakan Solenoid Dosing Pump kapasitas kecil yang tahan terhadap Chlorine. JCMA 36 – 2.5/10, JCMA 36 – 1.5/12, JCMA 36 – 0.8/15 JCMA 45 – 15/1.5, JCMA 45 – 11/2, JCMA 45 – 7/3.5, JCMA 45 – 3.5/7
AILIPU "JCMB Series" Ex. China		JCMB Series juga merupakan Solenoid Dosing Pump yang tahan terhadap Chlorine dengan kap. lebih besar. JCMB 45 – 3/15, JCMB 45 – 5/10, JCMB 45 – 10/5 JCMB 55 – 15/3.2, JCMB 55 – 20/2.5, JCMB 55 – 25/2
AILIPU "JXM Series" Ex. China		JXM Series Mechanical Diaphragm Dosing Pump dengan kapasitas hingga 1200 lph. JXM – A9/1.2, JXM – A22/1.2, JXM – A44/1.2, JXM – A85/1.0, JXM – A120/0.7, JXM – A170/0.7, JXM – A240/0.7, JXM – A315/0.5, JXM – A400/0.5, JXM – A500/0.5
AILIPU "JWM Series" Ex. China		JWM Series Mechanical Diaphragm Dosing Pump yang tahan terhadap cairan korosif. JWM – B42/1.0, JWM – B90/0.5 JWM – C80/0.9, JWM – C120/0.6, JWM – C170/0.4
LMI "PD Series" Ex. USA		LMI PD Series adalah Electronic Dosing Pump Miltron Roy Ex. USA PD013-708 NI, PD043-728 NI PD053-738 NI, PD063-748 NI
MILTON ROY "G Series" Ex. USA		G Series merupakan Mechanical Diaphragm Dosing Pump dengan kapasitas hingga 1800 lph dan tersedia material PVC, PVDF, SS-316 dengan type sbb : • GM 0002 – GM 0500 • GB 0080 – GB 1800
CHEMTECH/ PULSATRON "PULSAFEEDER" Ex. USA		Tersedia : Chem-Tech 100/003, 100/007, 100/015, 100/024, 100/030 Chem-Tech 150/068, 150/100

MODEL	PICTURES	DESCRIPTION
CLEANING & MAINTENANCE CHEMICALS		
BOILER Water Treatment Chemicals		Tersedia berbagai macam kimia perawatan boiler dengan fungsi masing-masing sbb : • Aquatrol 700 : Pencegah kerak (<i>scale inhibitor</i>) • Aquatrol 712 : Pencegah karat / korosi (<i>corrosion inhibitor</i>) • Aquatrol 725 : Pencegah kerak & karat (<i>scale & corrosion inhibitor</i>) • Aquatrol 732 : Pencegah endapan / deposit (<i>sludge dispersant control</i>) • Aquatrol 735 : Pencegah pembusaan (<i>foaming agent inhibitor</i>) • Aquatrol 745 : Pengontrol pH & Alkalinity (<i>pH booster</i>)
COOLING Water Treatment Chemicals		Tersedia berbagai macam kimia perawatan cooling system dengan fungsi masing-masing sbb : • Aquatrol 150 : Pencegah kerak & karat (<i>scale & corrosion inhibitor</i>) • Aquatrol 155 : Pencegah lumut (<i>algae control</i>) • Aquatrol 165 : Pencegah micro-organisme (<i>micro biocide control</i>) • Aquatrol 167 : Pencegah ganggang (<i>slime control</i>) • Aquatrol 158 : Pengontrol/Penurun Alkalinity (<i>alkalinity control</i>) • Aquatrol 170 : Pencegah korosi pada sistem sirkulasi tertutup (<i>corrosion inhibitor</i>)
CLEANING CHEMICALS		Berbagai jenis kimia pembersih Boiler dan Cooling System (Cooling Tower & Chiller) : • Aquatrol 275 : Pembersih kerak & karat pada boiler dan heat exchanger • Aquatrol 279 : Pembersih kerak silica / karang • Aquatrol 285 : Penetralisir setelah proses cleaning dengan Aquatrol 275 / 279 • Aquatrol 280 : Pembersih minyak / karat pada boiler baru (untuk "boil-out") • Aquatrol 265 : Pembersih aluminium / fin coil (AC, AHU)
R/O MEMBRANE Cleaning & Treatment Chemicals		Treatment Chemicals : • Aquatrol 500 : Pengontrol pH (<i>pH booster</i>) • Aquatrol 501 : Pencegah oksidator (<i>chlorine</i>) • Aquatrol 502 : Pencegah deposit inorganic (<i>antiscalant</i>) • Aquatrol 503 : Pengontrol endapan organik (<i>biocide control</i>) Cleaning Chemicals : • Aquatrol CRO-1 : Pembersih endapan metal oxide • Aquatrol CRO-2 : Pembersih biofilm • Aquatrol CRO-3 : Pembersih inorganic (CaCO_3) • Aquatrol CRO-4 : Pembersih organik • Aquatrol CRO-5 : Pembersih koloidal